

IEW 28/15

~~DOCKET NO. 01-P-002 (STMI01-00013)~~
~~Customer No. 30425~~

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : CHARLES R. SPINNER, III ET AL
Serial No. : 09/871,463
Filed : May 31, 2001
For : BARRIER FILM DEPOSITION OVER METAL FOR
REDUCTION IN METAL DISHING AFTER CMP
Group No. : 2815
Examiner : M.E. Warren

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

Sir:

The undersigned hereby certifies that the following documents:

1. Amendment and Response to Office Action; and
2. A postcard receipt

relating to the above application, were deposited as "First Class Mail" with the United States Postal Service, addressed to MAIL STOP AMENDMENT, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on December 6, 2005.

Date: 12-6-05

Date: 12-6-05

P.O. Box 802432
Dallas, Texas 75380
Phone: (972) 628-3600
Fax: (972) 628-3616
E-mail: dvenglarik@davismunck.com


Daniel E. Venglark
Mailer
Daniel E. Venglark
Daniel E. Venglark
Reg. No. 39,409

DOCKET NO. 01-P-002 (STMI01-00013)

PATENT

Customer No. 30425

DEC 12 2005



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Charles R. Spinner, III, et al.
Serial No. : 09/871,463
Filed : May 31, 2001
For : BARRIER FILM DEPOSITION OVER METAL FOR
REDUCTION IN METAL DISHING AFTER CMP
Group No. : 2815
Examiner : M.E. Warren

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT AND RESPONSE TO OFFICE ACTION

No fees are believed to be necessary; however, in the event that any fees are required for the prosecution of this application, please charge any necessary fees to Deposit Account No. 50-0208. No extension of time is believed to be necessary. If, however, an extension of time is needed, the extension is requested and please charge the fee for this extension to Deposit Account No. 50-0208.

In response to the Office Action dated September 6, 2005, please amend the above-identified application as follows: